

JA



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/993,496	11/27/2001	Tae-Duk Kim	1594.1017	8100

21171 7590 01/25/2005

STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER

SAYOC, EMMANUEL

ART UNIT PAPER NUMBER

3746

DATE MAILED: 01/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

821

Office Action Summary	Application No. 09/993,496	Applicant(s) KIM, TAE-DUK	
	Examiner Emmanuel Sayoc	Art Unit 3746	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 24 May 2004.
- 2a) This action is FINAL.
- 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 3-5, 11-14 and 22-26 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 5, 12, 14 and 22-26 is/are rejected.
- 7) Claim(s) 3, 4 and 11 is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 - 1. Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. _____.
 - 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
- 5) Notice of Informal Patent Application (PTO-152)
- 6) Other: _____.

DETAILED ACTION

1. This office action is in response to the amendments of 5/13/2004. In making the below rejections and/or objections the examiner has considered and addressed each of the applicants arguments. Claims 3-5, 11-14, and 22-26 are pending, and are under current consideration. Claims 3, 5, 11, 12, and 22 are amended. Claims 1, 2, 6-10, 15-21, and 27 have been cancelled.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 12, and 22-26 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 12, line 12, the phrase "penetrating the first and second coil" is unclear in context. For this office action, the phrase is interpreted to be that the core passes back and forth relative to the coils, as opposed to a physical penetration of the coil boundaries.

Claim 22, line 9, "according to the determining" is unclear in context.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3746

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 5, 12, 14, and 22-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamamoto et al. (U.S. Pat. 5,897,296), and in further view of Heymans et al. (U.S. 4,772,828).

Yamamoto et al. in Figure 1 disclose a control apparatus for a linear compressor comprising a collision detection unit (generally shown in Figure 1) for detecting collision of a piston (12a) with a valve (15, 16), and a driving force control section (16a, see column 4 lines 5-25 computer processing and calculation) for determining whether the collision of the piston occurs on the basis of an output signal from the collision detection unit (Figure 1) – see abstract, column 3 lines 1-44, column 5 lines 3-20, column 6 lines 22-42, column 9 lines 5-52, and column 11 lines 5-29. The apparatus includes a displacement detecting section (14a) for determining the position of the piston, and an upper dead point position (peak amplitude) detecting section (15a) for detecting the pistons upper dead point position, which is compared to a preset upper dead point reference valve (31). This displacement detecting section (14a) produces signals relative to the pistons position. It is obvious that given the position of the piston, the processors in this section calculate not only the displacement of the piston, but also the amplitude of the piston at any given sampling instance.

The driving force control section (16a) is analogous to the claimed inventions control unit, and it resets the maximum amplitude data of the piston of the linear

Art Unit: 3746

compressor when collision occurs – see column 9 lines 6-52, and column 11 lines 5-39. The control apparatus further comprises a compressor-driving unit (13a) for controlling the maximum amplitude of the piston of the linear compressor under the control of the driving force control section (16a).

The collision control apparatus of Yamamoto et al. is designed to prevent collision and damage of the intake valve (15) and the ejector valve (16) in the cylinder (11) due to the collision of the piston (12a) with the top of the cylinder (11) – see column 15 lines 51-53.

The control circuit of the Yamamoto et al. apparatus comprises an amplitude control means (30) primarily consisting of an amplifier (32) which compares an upper dead point position signal from the upper dead point position calculation means (28) with an upper dead point reference value (31) stored in memory in the inverter control means (29) and changes an output voltage amplitude for the base drive circuit (26) in proportion to a difference between them - see column 10 lines 43-58.

The reciprocating assembly which consists of the piston (12a, also see Figure 4, 14, 13) and moving armature assemblies constitute a core.

The Yamamoto et al. device differs from the claimed invention in that there is no explicit teaching that output signals from energized coils are inputted into a differential amplifier, and the piston amplitude and therefore the displacement is calculated based on the output signal from a differential amplifying unit.

Since the Yamamoto et al. device is particularly interested in the precise control of the piston and the prevention of collision, it would have been obvious to one of

ordinary skill in the art to calibrate the input power to piston displacement was known, or in other words the compressor driving unit would have been capable of supplying a precise amount of power to produce a precise piston displacement. Without this assumption the Yamamoto et al. device would be inoperative.

Heymans et al. in Figure 1 and 3, teach an analogous linear motor compressor with a piston (6), an armature (12), a stator (14), a movable core (24), and two externally energized coils (16a). The device teaches a control system where the power input to the compressor is detected in order to find the resonant or optimum operational frequency and therefore the most optimum drive power (see column 3 line 50 – column 4 line 10). In order to accomplish this, the output terminals of the energized coils (16) are connected to an inverting and non-inverting differential amplifier (46) for measuring the voltage across the motor. After such rectification, the signal is fed to a multiplier (47), where the signal is indicative of the power consumption of the motor. The signal is also passed to a low-pass filter (48), and various analog-digital converters for smoothing the rectified differential signal. The differential signal from the differential amplifier (46) is proportional to a change in the position of the core by magnetic coupling between the core and the coils. The system determines the maximum instantaneous amplitude of current and voltage. It is taught that this whole process of determining optimal frequency and power is useful in determining the maximum amplitude of the piston, column 4 line 8. Therefore it would have been obvious to one of ordinary skill in the art at time the invention was made to modify the Yamamoto et al. device by incorporating the Heymans et al., differential amplifier optimum power and

Art Unit: 3746

piston amplitude calculating system to determine piston amplitude, as taught by Heymans et al., in order to determine piston amplitude and operate the compressor efficiently. By determining the instantaneous power to the motor, a calculation of amplitude and displacement can be obtained, as taught by Yamamoto et al. As the amplitude and displacement is obtained as taught by Heymans et al., the Yamamoto et al. collision detection, and drive units function as disclosed.

Response to Amendment

6. In view of the amendment's the objection to the specification is hereby withdrawn.

7. In view of the amendment's, the rejections of claims 1, 3-7, 11, 13, 14, and 18 under 35 U.S.C. 112, first and second paragraph, are hereby withdrawn.

Response to Arguments

8. Applicant's arguments with respect to claims 5, 12, 14, and 22-26 have been considered but are moot in view of the new ground(s) of rejection.

9. Since new grounds of rejection have been made, this office action is being made non-final to afford the applicant the opportunity to respond to the new grounds of rejection. Examiner regrets the withdrawal of the indication of allowable subject matter in claims 5, 12, 14, and 22-26, however new rejections were necessitated by new prior art evidence.

Allowable Subject Matter

10. Claims 3, 4, and 11 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

11. Claim 13 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, first and second paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following references are cited to further show the state of the art with respect to collision detection and control systems for linear compressors/motors.

U.S. Pat. App. 2002/0064461 A1 to Yoo et al.

U.S. Pat. App. 2003/0129063 A1 to Jeun – teaches a device for controlling the piston position in a linear compressor by comparing phase differences in square waves indicative of supply current and piston stroke.

U.S. Pat. 6,663,348 to Schwarz et al. – teaches a device for preventing piston collision by measuring the movement time of the piston, comparing the movement time with a foreseen movement time, and altering the voltage of the if the times are outside a given threshold.

Art Unit: 3746

U.S. Pat. 5,980,211 to Tojo et al. – teaches gradual modification of compressor drive frequency and amplitude to match reference values in order to prevent piston collision. A current instruction value is compared to a current amplitude of the piston.

U.S. Pat. 5,496,153 to Redlich – teaches the evaluation of the alternating and average components of the piston position by direct measurements of voltage and current.

U.S. Pat. 5,342,176 to Redlich – teaches a method of measuring the distance between the piston top dead center and the valve plate.

U.S. Pat. 6,074,172 to Huang

Contact Information


13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel Sayoc whose telephone number is (571) 272 4832. The examiner can normally be reached on M-F 8-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Emmanuel Sayoc
Examiner
Art Unit 3746



CHERYL TYLER
SUPERVISORY PATENT EXAMINER

ECS